

IN THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) A storage device comprising:

a storage medium having a data area configured to write content data thereto and an identifier area configured to write an identifier thereto, the identifier being unchangeable; and

a storage medium support frame configured to hold the storage medium and provided with visible information that is unchangeable and corresponds to the identifier, the visible information being visible from the outside and selected from the group consisting of a character, symbol, pattern, color, and combination of a character, symbol, pattern, and color.

2. (Original) The storage medium of claim 1, wherein:

the storage medium support frame has a substantially rectangular shape and a short side of at least 31.8 mm.

3. (Currently Amended) The storage medium of claim 1, wherein:

the identifier is readable by a writing apparatus; and

the writing apparatus displays, on a display thereof, information selected from the group consisting of [[a]] the character, symbol, pattern, color, and combination of [[a]] the character, symbol, pattern, and color, and when the visible information agrees with the displayed information, conducts writing.

4. (Original) A writing apparatus comprising:

a storage unit configured to store an identifier, a software file name, a title of the software, and a visible information file that are related to one another;

a display controller configured to read the visible information file and the title from the storage unit and output a display signal to display visible information and the title;

a display configured to receive the display signal from the display controller and display the visible information and the title;

a slot configured to receive a storage device therein;

an identifier reader configured to read an identifier stored in the storage device inserted in the slot;

an identifier-corresponding-software searcher configured to determine if software corresponding to the identifier read by the identifier reader is stored in the storage unit; and

a writer configured to write the software corresponding to the identifier to the storage device, when the software corresponding to the identifier is present.

5. (Currently Amended) The writing apparatus of claim 4, wherein the storage device comprises:

a storage medium having a data area configured to write content data thereto and an identifier area configured to write [[an]] the identifier thereto, the identifier being unchangeable; and

a storage medium support frame configured to hold the storage medium and provided with the visible information that is unchangeable and corresponds to the identifier, the visible information being visible from the outside and selected from the group consisting of a character, symbol, pattern, color, and combination of a character, symbol, pattern, and color.

6. (Original) The writing apparatus of claim 5, wherein:

the storage medium support frame has a substantially rectangular shape and a short side of at least 31.8 mm.

7. (Original) The writing apparatus of claim 4, wherein:

the writer conducts the writing when the visible information on the storage medium agrees with the visible information displayed on the display, the visible information on the display being selected from the group consisting of a character, symbol, pattern, color, and combination of a character, symbol, pattern, and color.

8. (Currently Amended) The writing apparatus of claim 4, further comprising:

a correspondence table rewriter configured to rewrite a correspondence table showing a correspondence among the identifier, file name, title, and visible information file.

9. (Currently Amended) The writing apparatus of claim 5, further comprising:

a communication unit configured to receive data required to rewrite ~~[[the]]~~ a correspondence table from outside of the writing apparatus.

10. (Currently Amended) A computer readable storage medium, including computer executable instructions, having embedded therein a ~~[[A]]~~ replay program enabling a computer to execute instructions comprising:

instructions configured to read a first identifier from an identifier area of a storage medium, the first identifier being unchangeable;

instructions configured to read a second identifier from a data area of the storage medium;

instructions configured to conduct an operation selected from the group consisting of decrypting the second identifier, confirming if the second identifier is a first electronic

watermark embedded therein, and decrypting the second identifier and confirming if the second identifier is the first electronic watermark embedded therein;

instructions configured to compare the first identifier and the second identifier with each other, when a case selected from the group consisting of the second identifier being decrypted, the second identifier being confirmed as being the first electronic watermark embedded therein, and the second identifier being decrypted and being confirmed as being the first electronic watermark embedded therein is satisfied;

instructions configured to read content data from the data area;

instructions configured to conduct an operation selected from decrypting the content data, confirming if the content data is a second electronic watermark embedded therein, and decrypting the content data and confirming if the content data is the second watermark embedded therein when at least a predetermined part of the first and second identifiers are identical to each other; and

instructions configured to replay the content data when a case selected from the group consisting of the content data being confirmed as being the second electronic watermark embedded therein, the content data being decrypted, and the content data being decrypted and being confirmed as being the second electronic watermark embedded therein is satisfied.

11. (Currently Amended) A computer readable storage medium comprising:
an identifier area configured to store a first identifier, the first identifier being unchangeable; and

a data area configured to store[[:]]

a second identifier having at least one characteristic in which the second identifier is encrypted, the second identifier is a first electronic watermark embedded

therein, and the second identifier is the first electronic watermark embedded therein and is encrypted;

content data having at least one characteristic in which the content data is encrypted, the content data is a second electronic watermark embedded therein, and the content data is the second electronic watermark embedded therein and is encrypted; and

a replay program configured to make a computer execute instructions comprising[[:]

instructions configured to read the first identifier from the identifier area;

instructions configured to read the second identifier from the data area;

instructions configured to conduct an operation selected from the group consisting of decrypting the second identifier, confirming if the second identifier is the first electronic watermark embedded therein, and decrypting the second identifier and confirming if the second identifier is the first electronic watermark embedded therein;

instructions configured to compare the first identifier and the second identifier with each other when a case selected from the group consisting of the second identifier being decrypted, the second identifier being confirmed as being the first electronic watermark embedded therein, and the second identifier being decrypted and being confirmed as being the first electronic watermark embedded therein is satisfied;

instructions configured to read the content data from the data area;

instructions configured to conduct an operation selected from decrypting the content data, confirming if the content data is the second

electronic watermark embedded therein, and decrypting the content data and confirming if the content data is the second watermark embedded therein when at least a predetermined part of the first and second identifiers are identical to each other; and

instructions configured to replay the content data when a case selected from the group consisting of the content data being decrypted, the content data being confirmed as being the second electronic watermark embedded therein, and the content data being decrypted and being confirmed as being the second electronic watermark embedded therein is satisfied.

12. (Currently Amended) A writing method comprising:

writing a second identifier in a data area, the second identifier being obtained by at least one operation in which a first identifier being unchangeable and written in an identifier area is encrypted, a first electronic watermark is embedded in the first identifier, and the first electronic watermark in the first identifier is embedded and is encrypted;

writing content data to the data area, the content data having at least one characteristic in which the content data is encrypted, the content data is a second electronic watermark embedded therein, and the content data is the second electronic watermark embedded therein and is encrypted; and

writing a replay program to the data area, the replay program being configured to make a computer execute instructions comprising[[:]]

instructions configured to read the first identifier from the identifier area;

instructions configured to read the second identifier from the data area;

instructions configured to conduct an operation selected from the group consisting of decrypting the second identifier, confirming if the second identifier is

the first electronic watermark embedded therein, and decrypting the second identifier and confirming if the second identifier is the first electronic watermark embedded therein;

instructions configured to compare the first identifier and the second identifier with each other when a case selected from the group consisting of the second identifier being decrypted, the second identifier being confirmed as being the first electronic watermark embedded therein, and the second identifier being decrypted and being confirmed as being the first electronic watermark embedded therein is satisfied;

instructions configured to read the content data from the data area;

instructions configured to conduct an operation selected from decrypting the content data, confirming if the content data is the second electronic watermark embedded therein, and decrypting the content data and confirming if the content data is the second watermark embedded therein, when at least a predetermined part of the first and second identifiers are identical to each other; and

instructions configured to replay the content data when a case selected from the group consisting of the content data being decrypted, the content data being confirmed as being the second electronic watermark embedded therein, and the content data being decrypted and being confirmed as being the second electronic watermark embedded therein is satisfied.

13. (Currently Amended) A writing apparatus comprising:

a slot configured to receive a storage device therein;

an identifier reader configured to read a first identifier from an identifier area of the storage device inserted in the slot, the first identifier being unchangeable;

an identifier processor configured to obtain a second identifier by conducting at least one operation in which a first electronic watermark in the first identifier is embedded, the first identifier is encrypted, and the first identifier being the first electronic watermark embedded therein is encrypted;

a storage unit ~~storing~~ configured to store:

content data having a characteristic selected from the group consisting of embedding a second electronic watermark therein, being encrypted, and embedding the second electronic watermark therein and being encrypted; and

a replay program configured to make a computer execute instructions comprising[[:]]

instructions configured to read the first identifier from the identifier area;

instructions configured to read the second identifier from a data area of the storage device;

instructions configured to conduct an operation selected from the group consisting of decrypting the second identifier, confirming if the second identifier is the first electronic watermark embedded therein, and decrypting the second identifier and confirming if the second identifier is the first electronic watermark embedded therein;

instructions configured to compare the first identifier and the second identifier with each other when a case selected from the group consisting of the second identifier being decrypted, the second identifier being confirmed as being the first electronic watermark embedded therein, and the second identifier being decrypted and being confirmed as being the first electronic watermark embedded therein is satisfied;

instructions configured to read the content data from the data area;
instructions configured to conduct an operation selected from
decrypting the content data, confirming if the content data is the second
electronic watermark embedded therein, and decrypting the content data and
confirming if the content data is the second watermark embedded therein
when at ~~[[leas]]~~ least a predetermined part of the first and second identifiers
are identical to each other; and

instructions configured to replay the content data when a case selected
from the group consisting of the content data being decrypted, the content data
being confirmed as being the second electronic watermark embedded therein,
and the content data being decrypted and being confirmed as being the second
electronic watermark embedded therein is satisfied; and

a writer configured to write the second identifier, content data, and replay
program to the data area of the storage device.

14. (Currently Amended) A storage device comprising:

the storage medium of claim 11; and

a storage medium support frame configured to hold the storage medium and provided
with visible information that is unchangeable and corresponds to a part of the identifiers, the
visible information being visible from the outside and selected from the group consisting of a
character, symbol, pattern, color, and combination of a character, symbol, pattern, and color.

15. (Currently Amended) The writing apparatus of claim 13, wherein:

the storage unit ~~is configured to store~~ stores a given part of the first identifier, visible information, the content data, the replay program, and a title of the content data that are related to one another;

the writing apparatus further comprises:

a display controller configured to read the visible information and title from the storage unit and output a display signal to display the visible information and title;
and

a display configured to receive the display signal from the display controller and display the visible information and title; and

the writer writes the content data and replay program corresponding to the given part of the first identifier to the data area of the storage device.